
CONCENTRATE
LB16853

ORTHO®

GROUNDCLEAR®

POISON IVY

& TOUGH BRUSH KILLER$_2$



STARTS WORKING IMMEDIATELY

USE ON: POISON IVY, WILD BLACKBERRY, POISON OAK

TO PREVENT ACCIDENTAL POISONING, NEVER STORE THIS PRODUCT IN FOOD, DRINK OR UNLABELED CONTAINERS

KEEP OUT OF REACH OF CHILDREN

CAUTION See back booklet for additional precautionary statements.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN Vea los avisos de precaución adicionales en la etiqueta posterior.

ACTIVE INGREDIENTS:	% by wt
Triclopyr, triethylamine salt	8.0%
Diquat dibromide	1.5%
OTHER INGREDIENTS:	90.5%
Total	100.0%

THIS PRODUCT CONTAINS:
0.50 lb. of triclopyr acid equivalent per gallon or 5.74%
0.07 lbs. diquat cation per gal. (0.13 lbs. diquat dibromide per gal.)

LB16769

NET CONTENTS/CONTENIDO NETO 32 FL. OZ. (946mL)

ORTHO®

GROUNDCLEAR®

POISON IVY

& TOUGH BRUSH KILLER₂

FAST ACTING | SEE RESULTS IN HOURS

ELIMINATES BRUSH & OTHER TOUGH WEEDS*

KILLS BY CONTACT

MAKES 8 GALLONS

Press to Reveal. See inside booklet for details.

PRODUCT FACTS

WHERE TO USE: Kills poison ivy and poison oak around homes, cabins, buildings, fences, and trails.

IMPORTANT: Do not use on or around edible feed or food crops or areas where grazing is allowed.

HOW TO USE:

- Add 4 fl oz of product to 1 gallon of water.
- Spray weed to thoroughly wet foliage, stems and trunk.
- Do not spray plants or grasses you like - they may die too.

WHEN TO USE:

- Apply when weeds are leafed out or actively growing. For best results, apply to mature leaves.

WHAT IT DOES:

- Controls over 60 types of tough weeds and brush including:

Poison Ivy *Poison Oak* *Kudzu* *Wild Blackberry*



Do not enter or allow people or pets to enter treated areas until spray has dried.

The ORTHO® Guarantee

If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

Questions or Comments *Preguntas o comentarios*
Call 1-800-225-2883 or visit ortho.com

*As Listed

©2022 The ORTHO Group.
World rights reserved.

Sold by **The ORTHO Group**
P.O. Box 190,
Marysville, OH 43040

EPA Reg. No. 239-2768
EPA Est. No. 239-IA-3

FPO

0 71549 04763 4
0505

LB16770

RIESGOS MEDIOAMBIENTALES

Este producto es tóxico para los peces y los invertebrados acuáticos. La deriva y el escurrimiento pueden ser peligrosos para los organismos acuáticos en aguas adyacentes a las áreas tratadas. Para proteger el medio ambiente, no permita que el pesticida penetre o se escurra en drenajes pluviales, cunetas de desagüe, canaletas o aguas superciales. La aplicación de este producto en un clima tranquilo, cuando no haya un pronóstico de lluvia para las próximas 24 horas, ayudará a asegurar que ni el viento ni la lluvia arrastren o laven el pesticida fuera del área de tratamiento.

AVISO SOBRE LAS AGUAS SUBTERRÁNEAS: Este producto químico tiene propiedades y características que se asocian con sustancias químicas detectadas en las aguas subterráneas. Este producto químico puede acarrear la contaminación de las aguas subterráneas si se usa en áreas donde la tierra es permeable, en particular donde el manto freático está cerca de la supercie.

ADVERTENCIA SOBRE LAS AGUAS SUPERFICIALES: Este producto puede afectar la calidad de las aguas superficiales debido a la escorrentía del agua de lluvia. Esto es especialmente cierto para los suelos con mal drenaje y los suelos con aguas subterráneas poco profundas. Este producto está clasificado como de alto potencial para llegar a las aguas superficiales a través de la escorrentía durante varias semanas después de la aplicación.

ADVERTENCIA SOBRE LOS ORGANISMOS QUE NO SE PRETENDE AFECTAR: Este producto es tóxico para las plantas y puede afectar de manera adversa las fuentes de alimento y el hábitat de organismos que no se pretende afectar, como los polinizadores, en las áreas adyacentes al sitio tratado. Proteja las fuentes de alimento y el hábitat de estos organismos siguiendo las instrucciones de la etiqueta dirigidas a reducir al mínimo la dispersión del rocío.

Peligros físicos y químicos: No mezcle ni permita el contacto con agentes oxidantes. Podría producirse una reacción química peligrosa.

ADVERTENCIA: En la medida contemplada por las leyes aplicables, el comprador asume todos los riesgos derivados del uso, el almacenamiento o el manejo de este producto si no se siguen las instrucciones

Ortho y su entorno

Su jardín es un lugar para que disfruten la familia y las mascotas. Es por eso que los productos Ortho® están diseñados con cuidado para brindar soluciones efectivas a los problemas de malezas. Siga las instrucciones para el uso, almacenamiento y eliminación adecuados.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS:

- Do not spray plants or grasses you like – they may die too.
- Apply when air is calm to prevent drift to desirable plants.
- Contact with Poison Oak or Poison Ivy anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

USE RESTRICTIONS:



- Do not enter or allow people or pets to enter treated areas until spray has dried.
- Do not use on or around edible feed or food crops or areas where grazing is allowed.
- Do not apply when wind exceeds 10 mph on average or if wind is gusting.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
- Keep people and pets out of the area during application.
- Avoid contact with eyes, skin or clothing.
- Do not apply this product via backpack sprayer.
- Do not exceed the maximum yearly application rate of 5.3 fl oz of product per 100 sq. ft. (9.0 lbs triclopyr per acre and 2.4 lb diquat dibromide per acre).
- The maximum single application rate for this product is 4 fl oz of product per 100 sq.ft. per application (6.8 lb triclopyr acid equivalent per acre and 1.8 lb diquat dibromide per acre per application).

WHERE TO APPLY

- Apply this product to kill poison ivy, poison oak, and other tough brush species as listed.
- Use in non-garden residential areas around homes, cabins, buildings, fences, and trails.
- Do not apply Ortho GroundClear® Poison Ivy & Tough Brush Killer$_2$ to plants or grasses you like – they may die too. This product is not for weed control in lawns.
- **IMPORTANT:** Do not use on or around edible feed or food crops or areas where grazing is allowed.

HOW MUCH TO APPLY

- Add 4 fl oz of product per 1 gallon of water.
- For areas with dense brush infestations, use 1 gallon of mixture to treat 100 sq ft (or 6.8 lb triclopyr ae/acre and 1.8 lb diquat dibromide/acre)
- For areas with lighter brush infestations, use 1 gallon of mixture to treat 400 sq ft (or 1.7 lb triclopyr ae/acre and 0.44 lb diquat dibromide/acre)
- If needed, retreatments can be made. However, do not apply more than 5.3 fl oz of product per 100 sq ft (or 9.0 lb triclopyr ae/acre and 2.4 lb diquat dibromide/acre) in a year from all applications.

WHEN TO APPLY

- Apply when weeds are leafed out or are actively growing.
- For best results, apply to mature leaves.
- Apply when air is calm to prevent drift to desirable plants.
- Rain or watering 2 hours after application will not reduce effectiveness.
- Weeds will begin to turn brown within hours. Wilting or other symptoms up to and including complete root kill will occur in 2 to 6 weeks.
- Hard to kill weeds (such as Poison Oak, Poison Ivy, Blackberries, and Honeysuckle) may require retreatment if regrowth occurs.

HOW TO APPLY

TO KILL BRUSH

- Mix product as directed and apply to thoroughly wet all leaves, stems, and trunks.
- Use low pressure and coarse spray pattern to reduce drift and avoid damage to desirable vegetation.
- If weeds are growing around desirable plants, shield plants from drift with a sheet of cardboard or plastic.
- If desirable plants are sprayed, rinse off immediately with water.
- Mix 4 fl. oz. per gal water and apply to thoroughly wet all leaves, stems, and trunks. Application to mature foliage is preferred. Use low pressure and coarse spray pattern to reduce drift which may damage desirable vegetation. Wilting or other symptoms will occur in 2 to 6 weeks. Certain hard to control species, such as Poison Oak, Poison Ivy, Blackberries, and Honeysuckle may require retreatment.

To Kill Stumps:

- Apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk & exposed roots.
- Do not reuse paint brush. Wrap brush in newspaper and put in trash.

To Kill Vines:

- If weeds are growing up poles, fences, or tree trunks with mature bark, spray to thoroughly cover weeds up to a height of 3 to 4 feet. Tree bark is mature if you scratch the bark with your fingernail and do not find any green tissue.
- If weeds are climbing shrubs or green-barked trees, cut weeds at base and treat as directed for stumps.

HOW TO USE:

Tank Sprayer: Add 4 fl. oz. to 1 gallon of water.

WEEDS CONTROLLED

Arkansas Rose
Big Leaf Maple
Bindweed
Black Cottonwood
Black Medic
Black Willow
Brazillian Pepper
California Rose
Carolina Geranium
Chickweed, Common
Chickweed, Mouseear
Choke Cherry
Cinquefoil
Common Ragweed
Clover, Red
Clover, White
Dandelion
Elderberry
Elm
Evening Primrose
Evergreen Blackberry
Field Horsetail Rush
Florida Prickly Blackberry
Florida Pusley
Giant Ragweed
Ground Ivy (Creeping Charlie)
Himalayan Blackberry
Honeysuckle, Amur
Honeysuckle, Bush
Honeysuckle, Japanese
Ironweed
Kudzu
Lambsquarters
Lespedeza
Mackenzie Willow
Maple
Mesquite
Narrow Leafed Willow
Oak
Oxalis
Pennywort
Persimmon
Poison Ivy
Poison Oak
Plantain, Broadleaf
Plantain, Buckhorn
Raspberry Willow
Red Alder
Red Sorrel
Salmonberry
Sassafras
Speedwell (Veronica)
Spurge, Garden
Spurge, Spotted
Scouler Willow
Sweet Gum
Thimbleberry
Thistle, Canada
Trailing Blackberry
Trumpet Creeper
Vine Maple
Virginia Creeper
Wild Blackberry
Wild Grape
Wild Rose
Wild Violet

STORAGE AND DISPOSAL

PESTICIDE STORAGE:	Store this product in its original container and keep out of reach of children and domestic animals.
PESTICIDE DISPOSAL & CONTAINER HANDLING:	Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear protective eyewear when mixing and applying this product. This product may cause skin sensitization reactions in some people. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES:	• IMMEDIATELY hold eye open and rinse thoroughly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes and then continue rinsing eye. • Call a poison control center or doctor for treatment advice
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing, rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
NOTE TO PHYSICIAN: If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-465-5161 for emergency medical treatment information	

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

GROUND WATER ADVISORY: This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

SURFACE WATER ADVISORY: This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having high potential for reaching surface water via runoff for several weeks after application.

NON-TARGET ORGANISM ADVISORY: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

Physical and Chemical Hazards: Do not mix or allow contact with oxidizing agents. Hazardous chemical reaction may occur.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

The ORTHO® Guarantee
If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

Ortho® & Your Environment
Your yard is a place for family and pets to enjoy. That's why Ortho® products are designed with care to provide effective solutions to weed problems. Follow instructions for appropriate usage, storage and disposal.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto con fines distintos de los indicados en la etiqueta.

PRECAUCIONES DE USO:

- No debe rociar las plantas o grama que le agraden, pues también las puede eliminar.
- Aplique cuando el aire esté tranquilo para prevenir que se esparza a plantas que no desee eliminar.
- El contacto con la hiedra venenosa o el roble venenoso en cualquier momento del año puede causar una reacción alérgica. Utilice guantes de hule al manipular plantas muertas. Deshágase de las plantas y de los guantes de hule en bolsas de basura cerradas herméticamente.

RESTRICCIONES DE USO:



- No ingrese ni permita que ninguna persona o mascota ingrese al área tratada hasta que se haya secado el rocío.
- No utilice en ni alrededor cultivos comestibles para alimento o para pienso para animales ni en zonas de pastoreo.
- No aplique cuando la velocidad del viento supere 10 mph (16 km/h) de promedio o si hay ráfagas de viento.
- No aplique este producto de forma que entre en contacto con otras personas o mascotas, ya sea directamente o al ser arrastrado por el viento.
- Durante la aplicación, mantenga alejadas del área a las personas y las mascotas.
- Evite el contacto con los ojos, la piel o la ropa.
- No aplique este producto con un pulverizador de mochila.
- No exceda la cantidad máxima anual de aplicación de 5.3 onzas líquidas (156 ml) de producto por cada 100 pies^2 o 9.3m^2 (9.0 lb [4.1 kg] de triclopir ea por acre y 2.4 lb [1.1 kg] de dibromuro de dicuat por acre).
- La proporción máxima de aplicación individual para este producto es de 4 onzas líquidas (118 ml) por cada 100 pies^2 o 9.3 m^2, por aplicación (6.8 lb [3 kg] de triclopir ea por acre y 1.8 lb [0.68 kg] de dibromuro de dicuat por acre, por aplicación).

DÓNDE APLICAR

- Aplique este producto para matar la hiedra venenosa, el roble venenoso y otras especies de matorrales resistentes que se enumeran.
- Úselo en áreas residenciales que no sean jardines, alrededor de casas, cabañas, edificios, cercas y senderos.
- No aplique Mata hiedra venenosa y arbustos resistentes GroundClear® de Ortho a las plantas o césped que le agraden, pues podrían eliminarse. Este producto no es para el control de malezas en céspedes.
- **IMPORTANTE:** No lo use en o alrededor de cultivos de alimentos o forrajes comestibles o áreas donde se permite el pastoreo.

CUÁNTO APLICAR

- Agregue 4 onzas líquidas (118 ml) por cada galón (3.79 l) de agua.
- En áreas con infestaciones de arbustos densos, use 1 galón (3.79 l) de mezcla para tratar 100 pies^2 (9.3 m^2) (o 6.8 lb [3 kg] de triclopir ea por acre y 1.8 lb [0.68 kg] de dibromuro de dicuat por acre)
- En áreas con infestaciones de arbustos menos densos, use 1 galón (3.79 l) de mezcla para tratar 400 pies^2 (37 m^2) (o 1.7 lb [0.65 kg] de triclopir ea por acre y 0.44 lb [1.25 kg] de dibromuro de dicuat por acre)
- Puede volver a aplicarse, de ser necesario. No obstante, el total anual de todas las aplicaciones no debe exceder 5.3 onzas líquidas (160 ml) de producto por cada 100 pies^2 (9.3 m^2) (o 9.0 lb [4 kg] de triclopir ea por acre y 0.44 lb [1.25 kg] de dibromuro de dicuat por acre).

CUÁNDO APLICAR

- Aplique cuando las malezas estén llenas de hojas y estén creciendo activamente.
- Para obtener los mejores resultados, aplíquelo a las hojas maduras.
- Aplique cuando el aire esté tranquilo para prevenir que se esparza a plantas que no desee eliminar.
- La lluvia o el riego 2 horas después de la aplicación no reducirán la eficacia.
- Las malezas comenzarán a ponerse marrones en unas horas. El marchitamiento u otros síntomas hasta e incluyendo la muerte completa de las raíces ocurrirán en 2 a 6 semanas.
- Las malezas difíciles de matar (como el roble venenoso, la hiedra venenosa, las moras y la madreselva) pueden necesitar otra aplicación si vuelven a crecer.

CÓMO APLICAR

PARA ELIMINAR ARBUSTOS

- Mezcle el producto como se indica y aplíquelo para humedecer completamente todas las hojas, tallos y troncos.
- Use un patrón de rociado grueso y de baja presión para reducir la deriva y evitar daños a la vegetación que no desea eliminar.
- Si crecen malezas alrededor de plantas que no desea eliminar, proteja las plantas de la deriva con una hoja de cartón o plástico.
- Si se rocían plantas que no desea eliminar, enjuague inmediatamente con agua.
- Mezcle 4 onzas líquidas (118 ml) por cada galón (3.79 l) de agua y aplique hasta humedecer completamente todas las hojas, tallos y troncos. Es preferible aplicar al follaje maduro. Use baja presión y un patrón grueso para rociar a fin de reducir la deriva del producto que pudiera dañar la vegetación que desea conservar. El marchitamiento u otros síntomas se presentarán a las 2 a 6 semanas. Ciertas especies difíciles de controlar, tales como el roble venenoso, la hiedra venenosa, las zarzamoras y la madreselva, quizás necesiten repetir el tratamiento.

Para eliminar tocones:

- Aplique con una brocha el producto sin diluir a todo el tocón recién cortado, incluidos la superficie del corte, el tronco que queda y las raíces expuestas.
- No vuelva a usar la brocha. Envuelva la brocha en papel periódico y tírela a la basura.

Para eliminar enredaderas:

- Si hay malezas en postes, cercas o troncos de árboles con corteza madura, rocíe para cubrir completamente las malezas hasta una altura de 3 a 4 pies (1 a 1.3 metros). La corteza de árbol está madura si cuando la raspa con la uña no encuentra ningún tejido verde.
- Si las malezas están trepando por arbustos o árboles de corteza verde, córtelas en la base y trátelas como se indica para los tocones.

CÓMO USAR:

Rociador con depósito: Agregue 4 onzas líquidas (118 ml) a 1 galón (3.79 l) de agua.

MALEZAS QUE CONTROLA

Rosa arkansana
Arce de hoja grande
Correhuela
Chopo negro
Lupina
Sauce negro
Pimentero brasileño
Rosa californica
Geranio silvestre
Hierba pajarera
Oreja de ratón
Cerezo silvestre
Quinquefolio
Artemisa
Trébol rojo
Trébol blanco
Diente de león
Saúco
Olmo
Prímula nocturna
Mora de Castilla
Cola de caballo
Morera negra de diente de sierra
Verdolaga del caballo
Ambrosía gigante
Hiedra rastrera (hiedra de tierra)
Zarza himalayana
Madreselva del Amur
Madreselva arbustilla
Madreselva japonesa
Cuerepillo
Kudzu
Cenizo
Lespedeza
Sauce de Mackenzie
Arce
Mezquite
Sauce de coyote
Roble
Vinagrillo o acederilla
Centella asiática
Caqui o pérsimo
Hiedra venenosa
Roble venenoso
Lantén
Lantén de hoja angosta
Sauce frambuesa
Aliso rojo
Rosella
Zarza naranja
Sasafrás
Verónica
Hierba de la golondrina
Tártago moteado
Sauce de fuego
Liquidámbar
Zarza dedal
Cardo canadiense
Zarza de California
Trompeta trepadora
Arce enredadera
Hiedra de Virginia
Zarzamora silvestre
Uva silvestre
Rosa silvestre
Violeta silvestre

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento del pesticida:	Almacene este producto en el envase original, y manténgalo fuera del alcance de los niños y los animales domésticos.
Eliminación del pesticida y manejo del envase:	Envase no rellenable. No vuelva a usar ni a llenar este envase. **Si está vacío:** Tírelo a la basura u ofrézcalo para reciclaje, si está disponible. **Si está parcialmente lleno:** Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en ningún drenaje interno o externo.

AVISOS DE PRECAUCIÓN

RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: Es dañino si se ingiere. Causa irritación moderada en los ojos. Evite el contacto con los ojos, la piel o la ropa. Use anteojos protectores al mezclar y aplicar este producto. Este producto puede provocar reacciones de sensibilización cutánea en algunas personas. Lávese con abundante agua y jabón después de manipular el producto y antes de comer, beber, mascar chicle, consumir tabaco o usar el inodoro.

PRIMEROS AUXILIOS	
SI SE INGIERE:	• Llame inmediatamente al centro de control de envenenamientos o al médico para obtener recomendaciones de tratamiento. Haga que la persona tome sorbos de un vaso de agua, si puede tragar. • No induzca el vómito a menos que lo indique el centro de control de envenenamientos o el médico. • No le dé nada por la boca a una persona inconsciente.
SI ENTRA EN LOS OJOS:	• INMEDIATAMENTE mantenga el ojo abierto y enjuáguelo bien y con cuidado con agua por 15 a 20 minutos. • Si tuviera lentes de contacto, quítelos después de trascurridos los primeros 5 minutos y continúe enjuagando el ojo. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento
SI CAE EN LA PIEL O ROPA:	• Quítese la ropa contaminada, enjuague la piel inmediatamente con abundante agua por 15 a 20 minutos. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
AVISO PARA EL MÉDICO: Si entra en contacto con los ojos, trate sintomáticamente. Los síntomas pueden desarrollarse gradualmente. El contacto aparentemente trivial puede causar daños graves y la curación puede retrasarse. Se debe continuar la supervisión médica hasta que se complete la curación.	
Tenga el envase o la etiqueta del producto con usted cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento. También puede contactar al 1-877-465-5161 para información sobre el tratamiento médico de emergencia.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear protective eyewear when mixing and applying this product. This product may cause skin sensitization reactions in some people. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

GROUND WATER ADVISORY: This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

SURFACE WATER ADVISORY: This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having high potential for reaching surface water via runoff for several weeks after application.

NON-TARGET ORGANISM ADVISORY: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

PHYSICAL AND CHEMICAL HAZARDS: Do not mix or allow contact with oxidizing agents. Hazardous chemical reaction may occur.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

Ortho® & Your Environment

Your yard is a place for family and pets to enjoy. That's why Ortho® products are designed with care to provide effective solutions to weed problems. Follow instructions for appropriate usage, storage and disposal.

The ORTHO® Guarantee

If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

Questions or Comments
Preguntas o comentarios
1-800-225-2883
ortho.com

©2022 The ORTHO Group.
World rights reserved.

Sold by **The ORTHO Group**
P.O. Box 190, Marysville, OH 43040

EPA Reg. No. 239-2768
EPA Est. No 239-IA-3

LB16770

PRESS TO RESEAL