



WEED & GRASS **B-gon**TM

**PATIO & LANDSCAPE
WEED &
GRASS KILLER
CONCENTRATE**



TO PREVENT ACCIDENTAL POISONING,
NEVER STORE THIS PRODUCT IN FOOD,
DRINK OR UNLABELED CONTAINERS.

ACTIVE INGREDIENTS:

Diquat dibromide:	2.53%
Fluazifop-P-butyl:	0.84%
Dicamba, Dimethylamine salt:	0.67%
Other Ingredients:	95.96%
Total:	100.00%

THIS PRODUCT CONTAINS:

0.215 lb diquat dibromide (0.115 lb diquat cation) per gallon
0.0714 lb fluazifop-p-butyl per gallon
0.0556 lb dicamba acid per gallon

KEEP OUT OF REACH OF CHILDREN

CAUTION See additional precautionary statements
and directions for use in booklet.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte el folleto para conocer
los avisos de precaución
adicionales y el modo de empleo.



Net Contents/Contenido Neto 32 fl oz (1 qt) 946 mL

8

LB23202

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Read entire label before using this product.

USE RESTRICTIONS

- **DO NOT** allow people or pets to touch treated plants or enter the treated area until sprays have dried.
- **DO NOT** apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- **DO NOT** use measuring utensils including cups and spoons for food purposes after use with pesticides.
- **DO NOT** mow, cut or disturb treated vegetation for at least 7 days following application.
- **DO NOT** use on or around food or feed crops.
- **DO NOT** apply more than 10 fl. oz. of product per 350 sq ft in a single application. 10 fl. oz. of product contains 0.0168 lb diquat dibromide, 0.0056 lb fluazifop-p-butyl, 0.0044 lb dicamba.
- **DO NOT** apply more than 20 fl. oz. per 350 sq ft per year (2 applications of 10 fl. oz.). 20 fl. oz. of product contains 0.0336 lb diquat dibromide, 0.0112 lb fluazifop-p-butyl, 0.0088 lb dicamba.
- If retreatment is necessary, wait 28 days before making a second application.
- **DO NOT** make more than 2 broadcast applications per year.

Rate Conversion Chart:

Fl oz product	Lb diquat dibromide	Lb fluazifop-p-butyl	Lb dicamba
5.0	0.0084	0.0028	0.0022
10.0	0.0168	0.0056	0.0044

SPRAY DRIFT ADVISORIES

THE APPLICATOR IS RESPONSIBLE FOR AVOIDING OFF-SITE SPRAY DRIFT. BE AWARE OF NEARBY NON-TARGET SITES AND ENVIRONMENTAL CONDITIONS.

IMPORTANCE OF DROPLET SIZE

An effective way to reduce spray drift is to apply large droplets. Use the largest droplets that provide target pest control. While applying larger droplets will reduce spray drift, the potential for drift will be greater if applications are made improperly or under unfavorable environmental conditions.

HAND HELD TECHNOLOGY APPLICATIONS

Take precautions to minimize spray drift

HOW IT WORKS

The dual action of Ortho® GroundClear® Weed & Grass B-gon™ Patio & Landscape Weed & Grass Killer Concentrate kills all types of weeds and grasses. One ingredient works on contact with visible results within hours. The other two ingredients are absorbed and move within the plant, penetrating deep to kill down to the root.

WHERE TO USE

- Around perennial landscape plants, shrubs, or trees
- Along fences, around buildings
- Patios, walkways, driveways
- Preparing landscaped areas
- Gravel or mulch beds
- Lawn renovation

HOW TO MIX

- Shake gently before using.
- Use a tank sprayer made of plastic, aluminum or stainless steel.
- For established and difficult to control weeds, add 10 fl. oz. (1¼ cups) to 1 gallon of water.
 - Spot treat or spray uniformly over 350 sq. ft.
- For weed control, add 5 fl. oz. (½ cup + 2 tablespoons) to 1 gallon of water.
 - Spot treat or spray uniformly over 350 sq. ft.
- To clean sprayer, rinse sprayer and all parts with water three times. Spray rinse water on bare soil or gravel.

HOW TO APPLY

- Spray only the weeds you want to kill. Thoroughly wet the foliage to cover but **DO NOT** spray to runoff.
- For best results, apply when weeds are actively growing and when the air temperature is above 60°F.
- **DO NOT** spray plants you desire to keep. You may use a cardboard or plastic shield to protect desirable plants from spray.
- Apply when air is calm to prevent drift to desirable plants.
- If desirable plants are accidentally sprayed, rinse them off immediately with plenty of water.
- **DO NOT** apply this product via backpack sprayer.

WHAT TO EXPECT

- Sprayed weeds begin to wilt within hours after application, with complete kill within days to 7-2 weeks.
- A single application controls most listed weeds.
- Rainproof: rainfall or watering 15 minutes after application will not reduce weed control.
- Perennial landscape plants, trees, and shrubs may be planted 1 day after application.

LAWN RENOVATION

- Use Ortho® GroundClear® Weed & Grass B-gon™ Patio & Landscape Weed & Grass Killer Concentrate to kill grass and weeds before planting new lawn.
- **DO NOT** mow within 7 days before spraying or 7 days after spraying.
- Use 10 fl. oz. to 1 gallon of water for each 350 sq. ft.
- If soil is dry, water every other day for a week before application.
- Wait 7 days after last application to rake, till, or replant with seed or sod.

WEEDS CONTROLLED

Alder	Bromegrass	Chickweed, Common
Aspen, Quaking	Bromegrass, Smooth	Chickweed, Mouseear
Bahia grass	Brownseed	Clover
Barley, wild	Brome, Downy	Clovers (Annual)
Bedstraw	Bur clover	Clover, Red
Beggarweed	Buttercup	Clover, Sweet
Beggarweed, Creeping	Buttercup, Roughseed	Clover, White
Beggarweed, Florida	Buttercup, Tall	Cockle, White
Bermudagrass	Carrot, Wild (Queen Anne's Lace)	Cocklebur
Bentgrass	Catchfly, Nightflowering	Cogongrass
Bindweed, Field	Cattail	Coral bead
Blackberry, Wild	Ceanothus	Crabgrass
Bluegrass	Centipede grass	Crabgrass, Hairy
Bluegrass, Annual	Chamomile, Corn	Crabgrass, Large
Bluegrass, Kentucky	Cheeseweed	Crabgrass, Smooth
Brass buttons	Chickweed	Crabgrass, Southern
Broadleaf Signalgrass		Crabgrass, Tropical

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticides to be run into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

GROUND WATER ADVISORY: This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into groundwater in areas where soils are permeable, particularly where the water table is shallow. Some water quality standards may be exceeded if this chemical is applied to the ground in rain. This is especially true for poorly drained soils. Some soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff.

A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features including ponds, streams, and springs will reduce the potential loading of fluzolop-b-P-butyl from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours.

NON-TARGET ORGANISM ADVISORY: This product is toxic to plants and may adversely affect the reproductive habits of many large organisms, including pollinators, in areas adjacent to the treated site. Protect the fragile and habitat of non-target organisms by following label directions intended to minimize spray drift.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.

- Lea toda la etiqueta antes de usar este producto.

RESTRICCIONES DE USO

- **NO** permita que las personas o las mascotas toquen las plantas tratadas ni que ingresen al área tratada hasta que el rociado se haya secado.
- **NO** aplique este producto de forma que entre en contacto con otras personas o mascotas, ya sea directamente o al ser arrastrado por el viento. Durante la aplicación, mantenga alejadas del área a las personas y las mascotas.
- **NO** utilice los utensilios de medición, incluyendo tazas y cucharas, con alimentos después de usarlos con pesticidas.
- **NO** puede corte ni altere la vegetación tratada durante por lo menos 7 días después de la aplicación.
- **NO** lo use en ni alrededor de cultivos destinados al consumo humano o animal.
- **NO** aplique más de 296 ml de producto por cada 32.5 m² en una sola aplicación. 296 ml de producto contienen 7.620 g de dibromuro de dicuat, 2.540 g de fluzafop-p-butilo y 1.996 g de dicamba.
- **NO** aplique más de 591 ml de producto por cada 32.5 m², por año (2 aplicaciones de 296 ml). 591 ml de producto contienen 15.241 g de dibromuro de dicuat, 5.080 g de fluzafop-p-butilo y 3.992 g de dicamba.
- De tener que repetir el tratamiento, espere 28 días antes de hacer una segunda aplicación.
- **NO** realice más de dos aplicaciones por voleo al año.

Tabla de conversión de proporciones:

ml de producto	g de dibromuro de dicuat	g de fluzafop-p-butilo	g de dicamba
148	3.810	1.270	0.998
296	7.620	2.540	1.996

ADVERTENCIAS SOBRE LA DISPERSIÓN DEL ROCIADO

LA PERSONA QUE LO APLICA ES RESPONSABLE DE EVITAR QUE EL VIENTO ARRASTRE EL ROCÍO FUERA DEL PREDIO. PRESTE ATENCIÓN A LOS SITIOS CERCANOS QUE NO PRETENDA TRATAR Y A LAS CONDICIONES AMBIENTALES.

IMPORTANCIA DEL TAMAÑO DE LAS GOTTAS

Una forma eficaz de reducir la dispersión del rocío es aplicando gotas grandes. Use el tamaño de guta más grande que proporcione un control de las plagas previstas. Si bien la aplicación de gotas más grandes reducirá la dispersión del rocío, la posibilidad de que sean arrastradas por el viento será mayor si las aplicaciones se realizan de forma inadecuada o en condiciones ambientales desfavorables.

APLICACIONES CON TECNOLOGÍAS MANUALES

Tome precauciones para reducir al mínimo la dispersión del rocío

CÓMO FUNCIONA

La doble acción del Herbicida concentrado para malezas y gramas de patios y jardines GroundClear™ Weed & Grass B-gon™ de Ortho® elimina todo tipo de malezas y gramas. Un ingrediente trabaja al contacto, con resultados visibles en cuestión de horas; los otros dos son absorbidos y se mueven por el interior de la planta para eliminar desde la raíz.

DÓNDE USARLO

- Alrededor de las plantas, arbustos o árboles perennes del jardín
- En patios, aceras y entradas para automóvil
- En grava o lechos de mantillo
- A lo largo de cercas o alrededor de edificios
- En la preparación de áreas ajardinadas
- En la renovación de céspedes

CÓMO MEZCLARLO

- Agítele suavemente antes de usar.
- Use un rociador con depósito de plástico, aluminio o acero inoxidable.
- Para malezas establecidas y difíciles de controlar, añada 296 ml (1¼ tazas) de producto a 1 galón de agua.
 - Trate de forma focalizada o rocíe de manera uniforme más de 32.5 m².
- Para el control de malezas, añada 148 ml (½ taza + 2 cucharadas) de producto a 1 galón de agua.
 - Trate de forma focalizada o rocíe de manera uniforme más de 32.5 m².
- Para limpiar, enjuague tres veces el rociador y todas las piezas con agua. Rocíe el agua de enjuague sobre grava o un área despejada del suelo.

- Rocíe únicamente las malezas que desee eliminar. Humedezca completamente el follaje para cubrirlo, pero **NO** lo rocíe al grado que oscurea.
- Para obtener los mejores resultados, aplíquelo cuando las malezas estén creciendo de manera activa y la temperatura del aire rebase los 16 °C.
- **NO** rocíe las plantas que desee conservar. Puede usar un protector de cartón o de plástico para proteger del rocío las plantas que desee conservar.
- Aplíquelo cuando no haga viento para evitar que éste arrastre el producto hasta las plantas que no desea eliminar.
- Si rocía accidentalmente plantas que no desea eliminar, enjuáguelas con abundante agua de inmediato.
- **NO** aplique este producto con un rociador de mochila.

- Las malezas rociadas comienzan a marchitarse unas cuantas horas después de la aplicación y mueren por completo a los días o hasta en 1 a 2 semanas.
- Una sola aplicación controla la mayoría de las malezas enumeradas.
- A prueba de lluvia: la lluvia o el riego 15 minutos después de la aplicación no reducirán el control de las malezas.
- Las plantas, árboles y arbustos perennes para jardín pueden plantarse 1 día después de la aplicación.

- Use el Herbicida concentrado para malezas y gramas de patios y jardines GroundClear™ Weed & Grass B-gon™ de Ortho® para eliminar la grama y las malezas antes de sembrar césped nuevo.

- **NO** corte el césped 7 días antes o después de rociar.
- Use 296 ml disueltos en 1 galón de agua por cada 32.5 m².
- Si la tierra está seca, riegue cada 2 días durante una semana antes de la aplicación.
- Espere 7 días después de la última aplicación para rastillar, arar, sembrar o replantar con semillas o con tepes.

ALMACENAMIENTO DEL PESTICIDA

Guardar en un lugar fresco y seco. Mantenga el pesticida en el envase original. No ponga el concentrado ni la diluya en envases para alimentos o bebidas.

ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE

Este envase no se puede rellenar. No vuelva a usar ni a llenar este envase.

Si está vacío: Tirelo a la basura o, si está disponible, ofrézcalo para reciclaje.

Si está parcialmente lleno: Llame a su agencia de desechos sólidos local para obtener instrucciones sobre cómo eliminar el producto. Nunca elimine el producto no utilizado en drenajes internos o externos.

RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: Evite el contacto con la piel o la ropa. El contacto prolongado o reiterado de este producto con la piel puede causar reacciones alérgicas en algunas personas. Puede causar irritación en los ojos. Evite el contacto con los ojos. Se recomienda enfáticamente



